

FIG. 1




FIG. 2




FIG. 3A




FIG. 3B




FIG. 4

CONFIGURATION TEMPLATE MANAGEMENT CONSOLE

TEMPLATE MANAGEMENT

---Cards-----

OTCQ

OTC48

OTC192

GET

AC1T

AC45T

ATMC48

CCC768

---Facilities-----

OCQ

OTC48 OTC48 template

PRIMARY STATE ☐ IS ☐

ALARM PROFILE ☐ 1 ☐

Last Updated: 2001-03-14 16:58:24

FIG. 5A

CONFIGURATION TEMPLATE MANAGEMENT CONSOLE

TEMPLATE MANAGEMENT

GET

AC1T

AC45T

ATMC48

CCC768

---Facilities-----

OCQ

OC48

OC192

TNL

T1

T3

STSp

OC48 OC48 template

PRIMARY STATE ☐ 00S ☐

SFBER THRLD ☐ 3 ☐

SDBER THRLD ☐ 6 ☐

EXPCTD SECT TRC ☐ UNSPECIFIED ☐

TRNSMTD SECT TRC ☐ UNSPECIFIED ☐

TRANSMIT ON ☐ Primary Fiber ☐


APSID ☐ 1 ☐

ALARM PROFILE ☐ 2 ☐

Last Updated: 2001-03-14 17:05:16

FIG. 5B

CONFIGURATION TEMPLATE MANAGEMENT CONSOLE

 **TEMPLATE MANAGEMENT**

GET
AC1T
AC45T
ATMC48
CCC768
--Facilities-----
OCQ
OC48
OC192
TNL
T1
T3
STSp

OC48 **OC48** template

REVERTIVE (YES/NO) YES ▾

WAIT TO RESTORE (5-12 Seconds) 5 Seconds ▾

PROTECTION TYPE (1+1 OR 1:1) 1+1 ▾

PROTECTION DIRECTION (UNI/BI) UNI ▾

ALARM PROFILE ID (1-9) 1 ▾

FIG. 5C

8/12




FIG. 6




FIG. 7

10/12




FIG. 8




FIG. 9




FIG. 10




FIG. 11